Clamping Claws 23370.0135



Product Description

Clamping claws are used as precision clamping element in conventional fixtures. A locating hole is provided in the body of the fixture. The hole depth has to be adapted to the desired clamping height.

For the version with ground support surface (picture 1), a support can be attached to the rounded claw part (radius 22) to absorb the counter force. This support can be flat, half-rounded or V-shaped.

For the version with positioning bushing (picture 2), a support to absorb the counterforce is not necessary. The positioning bushing, which must be inserted into the fixture, serves as a support for the clamping claw. This bushing is included in the scope of delivery and can also be ordered separately as an accessory.

Clamping is achieved by means of an enclosed hexagon screw DIN 933 (ISO 4017).

Material

materia

Bushing

Case-hardened steel, case-hardened

Body

• Case-hardened steel, case-hardened, blackened and ground

Disc

• Heat-treated steel, tempered, punched, mechanically trued, phosphatized

Spring

Spring steel wire

Clamping screw

Heat-treated steel

More information


Notes


The tightening torque depends on the specific mounting situation.

References


The clamping height can be reduced by using clamping inserts, e.g. EH 22730.


Drawing












picture 2





Order information

	Dimensions														ws	Location hole			Clamping	Tightening	T	Art. No.
d ₁ f7	h ₁	b ₁	d ₂	d ₃	d ₄ n6	h ₂	h ₃	h ₄	I ₁	l ₂	I ₃	I ₄	I ₅			D1 H7	D2	L1	force	torque max.	-	
17	[mm] [mm]															117	[mm]		[kN]	[Nm]	[g]	
						ith positioning bushing – picture 2																
with p	ositioni	ng bus	hing –	pictur	'e 2																	

Application example









Compliance

RoHS compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c.

Contains SVHC substances >0,1% w/w Contains lead - SVHC list [REACH] as of 23.01.2024.

Contains Proposition 65 substances

Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.

