# **Clamping Claws**

## 23370.0053



## **Product Description**

Clamping claws are used as precision clamping element in conventional fixtures. A locating hole is provided in the body of the fixture. The hole depth has to be adapted to the desired clamping height.

For the version with ground support surface (picture 1), a support can be attached to the rounded claw part (radius 22) to absorb the counter force. This support can be flat, half-rounded or V-shaped.

For the version with positioning bushing (picture 2), a support to absorb the counterforce is not necessary. The positioning bushing, which must be inserted into the fixture, serves as a support for the clamping claw. This bushing is included in the scope of delivery and can also be ordered separately as an accessory.

Clamping is achieved by means of an enclosed hexagon screw DIN 933 (ISO 4017).

#### **Material**

#### Body

 Case-hardened steel, case-hardened, blackened and ground

#### Disc

 Heat-treated steel, tempered, punched, mechanically trued, phosphatized

#### Spring

Spring steel wire

### Clamping screw

Heat-treated steel

#### More information


#### Notes


The tightening torque depends on the specific mounting situation.

#### References


The clamping height can be reduced by using clamping inserts, e.g. EH 22730.


### Drawing






picture 1





picture 2





Halder, Inc.

www.halderusa.com

Page 1 of 4 Published on: 29.3.2024

## **Order information**

	Dimensions Str															Location hole			Tightening	I	Art. No.
d <sub>1</sub>	h <sub>1</sub>	b <sub>1</sub>	$d_2$	d <sub>3</sub>	h <sub>2</sub>	h <sub>3</sub>	h <sub>4</sub>	I <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	I <sub>4</sub>	r			D1	D2	L1	force	torque	_	
f7												±0.02			H7				max.		
	[mm] [n															[mm]		[kN]	[Nm]	[g]	
with	with ground supporting surface – picture 1																				
28	0 – 25	40	M12	M12	53	76	13	77	55	43	120	22	25	18	28	M12	51	10	30	614	23370.0053


## **Application example**






Halder, Inc.

www.halderusa.com





## Compliance

## **RoHS** compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

### Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

### Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Halder, Inc.

www.halderusa.com Page 4 of 4
Published on: 29.3.2024