# Adjustable Tension Levers



## **Product Description**

#### Material

## Lever

Stainless steel 1.4305, dull blasted

### Inner parts

Stainless steel 1.4305, dull blasted

#### Ball knob

Thermosetting plastic PF 31, black, DIN 319

## Operation


**By lifting the lever** the serrations are disengaged. The lever can be positioned by the serrations. On releasing the lever, the serrations are automatically re-engaged.


#### More information


#### Notes

The threaded portion can be exchanged.

## Drawing







picture 2

## **Order information**

Dimensions										I	Art. No.
d <sub>1</sub>	d <sub>2</sub>	d <sub>3</sub>	d <sub>4</sub>	d <sub>5</sub>	h <sub>1</sub>	h <sub>2</sub>	h <sub>3</sub>	ו ~	t min.	_	
[mm]											
with female thread – picture 1, Stainless steel											
21	M6	13.5	8	20	33.5	4	1	70	11	91	24440.0601

## Compliance

## **RoHS compliant**

Compliant according to Directive 2011/65/EU and Directive 2015/863.

## Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

## Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

#### Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.